



File No: SIA/MH/INFRA2/573545/2026

State Environment Impact Assessment Authority (SEIAA), Maharashtra

(Constituted as per the provision of EIA Notification, 2006, as amended by the Ministry of Environment, Forest and Climate Change, Government of India)



Dated: 04/07/2026

To,

Pooja Mahesh Landage
silverise skylight LLP
Gat No. 144, Borhadewadi, Moshi, Haveli, Pune 412105, PUNE, MAHARASHTRA, 412105
info.skylight@silverise.in

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Proposed Redevelopment of Chaitali & Parul (Pimpri) Ajmera Co-Operative Housing Society Ltd by M/s Silverise Skylight LLP submitted to Ministry vide proposal number SIA/MH/INFRA2/573545/2026 dated 26/03/2026.

2. The particulars of the proposal are as below:

(i) EC Identification No.	EC26C3803MH5937523N
(ii) File No.	SIA/MH/INFRA2/573545/2026
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	8(a) Building / Construction
(vi) Name of Project	Proposed Redevelopment of Chaitali & Parul (Pimpri) Ajmera Co-Operative Housing Society Ltd by M/s Silverise Skylight LLP
(vii) Name of Company/Organization	silverise skylight LLP
(viii) Location of Project (District, State)	PUNE, MAHARASHTRA
(ix) Issuing Authority	SEIAA
(x) Applicability of General Conditions	no
(xi) Applicability of Specific Conditions	no

Plot/Survey Khasra Nos.:

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 10/06/2026. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 10/06/2026, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. Pooja Mahesh Landage under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Copy To

1. The Deputy Director General, Regional Office, Deputy Director General Of Forests (C) Ministry Of Environment Forest And Climate Change Integrated Regional Office Ground Floor East Wing New Secretariat Building Civil Lines Nagpur-440001., N/A, N/A, apccfcentral-ngp-mef@gov.in
2. The Member Secretary, SPCB/PCC, Kalptaru Point 2nd - 4th Floor Opp. Cine Planet Sion Circle Sion (E), Mumbai, Maharashtra, mpcbparivesh@mpcb.gov.in

Annexure 1

Specific EC Conditions for (Building / Construction)

1. Specific


S. No	EC Conditions
1.1	1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same. 2. PP to prepare and implement plan to make proposed project a plastic free zone. 3. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that the water proposed to be used for

S. No	EC Conditions
	construction phase should not be drinking water. 4. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time. 5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021. 6. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
Not applicable	Not applicable	0	Not applicable	Not applicable	



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/573545/2026
Environment & Climate Change
Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Silverise Skylight LLP.
C.T.S No 6015(P), S. No. 144 + 149/1, Sector – M + K,
Village – Pimpri, Tal – Haveli, Dist.– Pune

Subject : Environmental Clearance for Proposed Redevelopment of Chaitali & Parul (Pimpri) Ajmera Housing Complex Co-Operative Housing Society Ltd at C.T.S No 6015(P), S.No. 144 + 149/1, Sector – M + K, Village – Pimpri, Tal – Haveli, Dist.– Pune by M/s Silverise Skylight LLP.

Reference : Application no. SIA/MH/INFRA2/573545/2026

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-III in its 270th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 342nd meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 10th June, 2026.

2. Brief Information of the project submitted by you is as below: -

1.	Proposal Number	SIA/MH/INFRA2/573545/2026	
2.	Name of Project	Proposed Redevelopment of Chaitali & Parul (Pimpri) Ajmera Housing Complex Co-Operative Housing Society Ltd by M/s Silverise Skylight LLP	
3.	Project category	8(a)	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Mrs. Pooja Mahesh Landage
		Regd. Office address	Gat no. 144, Borhadewadi, Moshi, Haveli, Pune, 412105.
		e-mail	info.skylight@silverise.in

6.	Consultant	ACE Environment, Mumbai NABET Certificate No. NABET/EIA/23-26/IA 0133, Valid up to 08/12/2026
7.	Applied for	New (Redevelopment Project)
8.	Details of previous EC	Not Applicable
9.	Location of the project	C.T.S No 6015(P), S.No. 144 + 149/1, Sector – M + K, Village – Pimpri, Tal – Haveli, Dist.– Pune.
10.	Latitude and Longitude	Latitude – 18° 38'01.54" N Longitude – 73° 48'37.40" E
11.	Total Plot Area (m ²)	6629.76 m ²
12.	Deductions (m ²)	0
13.	Net Plot area (m ²)	6629.76 m ²
14.	Proposed FSI area (m ²)	25198.28 m ²
15.	Proposed non-FSI area (m ²)	14752.16 m ²
16.	Proposed TBUA (m ²)	39950.44 m ²
17.	TBUA (m ²) approved by Planning Authority till date	39950.44 m ² (FSI 25198.28 m ² + NON FSI 14752.16 m ²)
18.	Ground coverage (m ²) & %	2723.50 m ² 41.07 % of Total Plot area & Net Plot area (6629.76 m ²)
19.	Total Project Cost (Rs.)	Rs 98 Cr.
20.	CER as per MoEF& CC circular dated	-

	01/05/2018						
21.	Details of Building Configuration:					Reason for Modification / Change	
	Previous EC / Existing Building			Proposed Configuration			
	Build ing Name	Config uration n	Height (m)	Building Name	Configuration	Height (m)	New Project
	NA	NA	NA	Tower A	BP2+BP1+GR+Mezz.+ 11FL	43.30	
	NA	NA	NA	Tower B	BP2+BP1+GR+Mezz.+ 11FL	43.30	
22.	Total no. of tenements			Tenements – 176 Nos Shops – 153 Nos			
23.	Water Budget	Dry Season (m³/day)		Wet Season (m³/day)			
		Fresh Water	121.45 m³/day	Fresh Water	121.45 m³/day		
		Recycled water for Gardening	3.00 m³/day	Recycled water for Gardening	0.00 m³/day		
		Swimming Pool	NA	Swimming Pool	NA		
		Recycled water for Flushing	73.40 m³/day	Recycled water for Flushing	73.40 m³/day		
		Total	197.85 m³/day (One Time)	Total	194.85 m³/day (One Time)		
		Treated excess water generation	79.48 m³/day	Treated excess water generation	82.48 m³/day		
24.	Water Storage Capacity for Firefigh	Domestic UG tank Capacity: 225 m³ Flushing water tank Capacity: 111 m³ Fire UG tank Capacity: 400 m³					

	ting /UGT			
25.	Source of water	Pimpri Chinchwad Municipal Corporation		
26.	Rainwater Harvesting (RWH)	Level of the Ground water table:	Pre monsoon – 18m to 20m BGL Post monsoon – 9m to 10m BGL	
		Size and no of RWH tank(s) and Quantity:	NA	
		Quantity and size of recharge pits:	5 Nos. (3 No for surface water harvesting & 2 No for roof top rain water harvesting) Size: 2 Mt. and Height 2 Mt. with 60 M deep recharge bore well with 1 number of 2 M length, 2 M Width and 3 M deep de-silting chamber with O & G Trap.	
		Details of UGT tanks if any:	NA	
-27.	Sewage and Wastewater	Sewage generation in CMD:	175.37 m ³ /day	
		STP technology:	MBBR	
		Capacity of STP (CMD):	180 m ³ /day	
28.	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)	Treatment / disposal
		Dry waste:	10.00 Kg/Day	Send to Authorized Vendor
		Wet waste:	15.00 Kg/Day	Send to Authorized Vendor
		Construction waste	25.00 Kg/Day	Will be used for Leveling
29.	Solid Waste Management during Operation	Type	Quantity (kg/day)	Treatment / disposal
		Dry waste:	430.00 kg/day	Handed over to Authorized Vendor
		Wet waste:	433.00 kg/day	Organic Waste Converter

	Phase	Hazardous waste:	NA	NA
		Biomedical waste	NA	NA
		E-Waste	9.00Kg/day	Handed over to Authorized Vendor
		STP Sludge	15.29 Kg/day	Will be used as manure after treatment in OWC
30.	Green Belt Development	Total RG area (m ²):	Not Applicable as per UDCPR 2020 clause no 3.4.1(vi)(a) - proposed redevelopment is part of Ajmera layout, RG for entire layout has been already provided in sanctioned layout.	
		Existing trees on plot:	75 Nos	
		Number of trees to be planted:	Offsite plantation – 1800Nos	
		Number of trees to be cut:	37 Nos	
		Number of trees to be transplanted:	38 Nos (32nos of trees will be transplanted within site)	
31.	Power requirement:	Source of power supply:	MSEDCL	
		During Construction Phase (Demand Load):	50 KVA	
		During Operation phase (Connected load):	2128 KVA	
		During Operation phase (Demand load):	1064 KVA	
		Transformer:	630 KVA X 2 Nos	

		DG set:	200 KVA X 1 No			
		Fuel used:	HSD			
32.	Details of Energy saving	24.15 %				
33.	Environmental Management plan budget during Construction phase	Type	Details		Cost	
		Capital Cost	Site Barricading, Personal Protective Equipment, Site Sanitation- Mobile toilets& Debris Management		85.50 Lakh	
		O & M Cost	Water for Dust Suppression, Air & Noise Monitoring, Tanker Water for Construction &Labour, Water Monitoring, Disinfection- Pest Control, First Aid Facilities, Health Check Up, Creches for Children, Food for children.		15.00 Lakh/Year	
34.	Environmental Management plan Budget during Operation phase	Component	Details		Capital (Rs.) Lakh	O&M (Rs/Y) Lakh/Year
		Storm Water	Storm Water Piping		NA	NA
		Sewage treatment	STP		23.00 Lakh	12.31 Lakh/Year
		Water treatment	-		5.74 Lakh	0.57 Lakh/Year
		RWH	Rain Water Harvesting		10.00 Lakh	1.00 Lakh/Year
		Swimming Pool	-		NA	NA
		Solid Waste	Organic Waste Convertor		14.50 Lakh	3.67 Lakh/Year

			Dry waste Management	3.00 Lakh	5.00 Lakh/Year
		Hazar dous waste	NA	NA	NA
		Green belt devel opme nt	-	1.28 Lakh	0.15 Lakh/Year
		Energ y savin g	Solar PV	33.60 Lakh	3.36 Lakh/Year
			Solar Hot Water	26.40 Lakh	2.64 Lakh/Year
		Envir onme ntal Monit oring	-	-	2.50 Lakh/Year
35.	Traffic Manage ment	Type	Required as per DCR	Actual Provided	Area per parking (m ²)
		4- Whee ler	205	258	Open Parking= 25m ² Covered Parking= 30m ² Basement Parking= 35 m ²
		2- Whee ler	431	675	3.00 m ²
36.	Details of Court cases / litigations w.r.t.the project and project location if any.				NA

3. Proposal has been considered by SEIAA in its 342nd meeting held on 10th June, 2026 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

SEAC Conditions-

1. PP to obtain IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions indicating all required RG area as per prevailing Hon'ble Supreme Court Order. PP to obtain all mandatory NOCs from the concerned planning authority and the planning authority shall not issue occupation certificate unless PP obtains the same.
2. PP to prepare and implement plan to make proposed project a plastic free zone.
3. PP to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green tribunal on 30.04.2019. PP to ensure that the water proposed to be used for construction phase should not be drinking water.
4. PP and the planning authority shall ensure that, the construction and demolition waste (C and D waste) is collected and treated at designated places as per Construction and Demolition Waste Management Rules, 2016 amended from time to time.
5. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
6. PP to ensure to achieve minimum 5% energy saving by using non-conventional energy source.

SEIAA Specific Conditions

1. PP submitted that RG is not applicable as per UDCPR 2020, Clause 3.4.1(vi)(a), since the proposed redevelopment is part of Ajmera Layout and RG for the entire layout has already been provided in the sanctioned layout.
2. PP to obtain Tree cutting NOC before cutting or transplantation of Trees on the site. Planning authority to ensure that there is no cutting or transplantation of Trees prior to commencement of the work on site.
3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
5. Air Quality Index monitoring to be ensured. Dust suppression measures shall be implemented also considering height of the building. Additional measures to be ensured.
6. In view of Maharashtra Electric Vehicle Policy, 2025, PP to provide electric vehicle D. C. Charger for 20 % of total parking provided, the number of D. C. Chargers should be worked out as provided in Niti Ayog Handbook of EV charging infrastructure implementation. Planning authority and MPCB to ensure the compliance of the same.
7. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
8. SEIAA decided to grant EC for- FSI area of 25198.28 m², Non FSI area of 14752.16 m² and total BUA of 39950.44 m². (Plan approval No-B.P/EC/Pimpri/02/2026 Dated 20/03/2026)

General Conditions:

a) Construction Phase: -

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid

waste should be disposed of to the approved sites for land filling after recovering recyclable material.

- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack

of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase: -

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. This cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has

been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions: -

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. As per MoEF&CC OM Vide File No. Q-15012/2/2022-CPW-Part(1)/e-240741 dated January 14, 2025, Consent to Establishment from Concerned SPCB is not applicable and Environment safeguards from SPCB has been taken into consideration.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under

EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Jayashree Bhoj (IAS)
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune
6. Commissioner, Pimpri-Chinchwad Municipal Corporation (PCMC)
7. Regional Officer, Maharashtra Pollution Control Board, Pune.